Bifrost Lite

The small-team edition

> *Answer the customer's specification. Keep the engineers on the design.*

For the team of three that carries a customer's specification, the compliance matrix and the change requests beside the engineering work.



RECEIVE · ANSWER · VERIFY · RETURN

INFO@ODINSINSIGHT.COM

The customer relationship is a second job.

A small team does not lose the week to systems engineering. It loses it to the customer. None of that is design work, and all of it lands on the same three people.

"Is every line answered?"

AN AFTERNOON WITH TWO SPREADSHEETS

"What changed in revision C?"

A DIFF NOBODY HAS TIME TO RUN

"Where is the proof for line 17?"

A REPORT WRITTEN AGAINST OLD WORDING

One loop, on one table.

01 · RECEIVE

The customer's lines

Their spreadsheet, their mails read on Intake, or a signed package from a prime on Bifrost. Every line lands locked, with the method they require.

02 · ANSWER

A position and a case

Comply, partial or non-comply, and the case that will prove it. That is what answered means.



03 · VERIFY

Their method first

Record a pass on the row, on the unit tested. A re-issued line asks you to re-confirm, and shows what changed.

04 · RETURN

In their format

The compliance workbook, the response document, or the signed return package.

THE SCREEN

One table. The whole week on it.

Every contractual line is a row: your position, the customer's method, the case that proves it and where the proof stands.

SPEAKER MODULE · COMPLIANCE

4 received, 3 answered | 1 to re-confirm | 1 unanswered

LINE	REQUIREMENT	POSITION	VERIFICATION CASE	RESULT
SPK-012	The module shall deliver 85 dB SPL at 1 m. customer requires Test	Comply	VC-004 · Test	Passed
SPK-017	The module shall operate from −20 °C to +55 °C. Was: −20 °C to ~~+50 °C~~	Partial	VC-006 · Test	To re-confirm
SPK-021	The enclosure shall resist splashing water. customer requires Inspection	Not stated	No case	—
STD 4.3	Accessible parts shall not exceed the touch-temperature limit. adopted from a standard	Comply	VC-009 · Inspection	Passed

DRAWN FROM THE WORKBENCH · ILLUSTRATIVE PROJECT · THE SECOND LINE WAS RE-ISSUED BY THE CUSTOMER

The other side of the table.

A CUSTOMER ON PAPER

Their spreadsheet → Bifrost Lite → Workbook · PDF

Map their columns once, or let the assistant interview you about it. The matrix goes back in their format.

A PRIME ON BIFROST

Signed package → Bifrost Lite → Signed return

Encrypted both ways. Their lines stay locked on your side, and change only through their change request.

A CUSTOMER WHO WRITES MAILS

Their mail · Word · PDF → Intake → Proposed lines, beside their sentence → One change request

Drop the mail or paste it. The assistant proposes the new lines and the changes to the ones you have, each quoting the customer. You accept, edit or reject every one.

> *Answered means a position and a case. Never an approval somebody clicked.*

Change, under review.

The customer's wording is never edited in place, and your approved work changes the same way: proposed, reviewed, merged.

Change requests
Many edits in one request, shown word by word.

Impact first
What a merge would turn suspect or send back to re-confirm.

Customer answers
Approved, asked, sent, then their yes or no. Every round kept.

One board
Requests, issues and milestones in one place.

In Lite

- Solution and Implementation requirements, traced
- Intake: their mails and sheets read into lines
- Verification cases, results and evidence
- Signed exchange packages, both ways
- Excel, Word and ReqIF; generated documents
- Standards clauses, adopted line by line
- The assistant and the chat beside every screen
- Your AI agent on your specification: it proposes, you merge
- Huginn, the shared assistant: hand it an issue, it drafts the change
- Bifrost Pocket: review, run and raise from a phone

The full Workbench adds

- Need and Function layers
- Norn derivation and the DSM
- The standards imposition chain
- SysML v2 models and GitHub

One product, one flag. Lite becomes the full Workbench with a configuration change. No migration.

Your own instance.
Hosted, or on your own hardware.

Guide and support.
The manual ships with the version you run; report a problem from any screen.

English and Turkish.
Switch the interface in one click.

Send us your specification.

The one you received or the one you wrote. We set up a Lite instance, land the lines and walk the first ones with you.

`info@odinsinsight.com · odinsinsight.com/lite`

The Bifrost Product Description defines the binding scope.